




DELIVERY PROGRAM 3/2025

Roof Drainage System

Roof System Accessories

Architectural Details and Flashings

Façade Systems

Perforated Profiles and Mesh

Sheets and Coils

Profiling Machines and Sheet Metal Tools

The prices do not include VAT or any customs duties

THE MOST SUSTAINABLE CONSTRUCTION ZINC IN THE WORLD

50 %
LESS
CO₂

prePATINA

ECO ZINC

prePATINA becomes prePATINA ECO ZINC
with 50% less CO₂

RHEINZINK is taking a big step towards decarbonisation in raw material extraction. We use the low-carbon zinc of our long-term partner for this purpose. With prePATINA ECO ZINC, we are taking another important step forward on the path of our sustainability strategy. Not through compensation, but in real terms with genuine renewable energies.



EXTREMELY
DURABLE



PRACTICALLY
MAINTENANCE-FREE



100%
RECYCLABLE



NATURALLY
SUSTAINABLE

ASK FOR A FREE SAMPLES



RHEINZINK prePATINA blaugrau



RHEINZINK prePATINA schiefergrau

HAVE A LOOK
ON CO₂ SAVINGS

FOR prePATINA ECO ZINC

12.0 kg CO₂
per m² standing seam roof

3.6 kg CO₂
per running metre of gutter



This delivery program is only commercial information and is an invitation to conclude a contract within the meaning of art. 71 of the Polish Civil Code and cannot be considered an offer within the meaning of art. 66 sec. 1 of the same Civil Code.

All sales are carried out by the network of commercial companies - RHEINZINK distributors.


Version: 1

Please ask your RHEINZINK distributors for the current version.



ROOF DRAINAGE SYSTEM


- NUMBER 1 FOR TILE ROOFS IN EUROPE
- METAL THICKNESS IN ACCORDANCE WITH PN-EN 612
- WIDE RANGE OF MATCHED ACCESSORIES
- SELF-RESTORING PATINATED SURFACE



- | | | | |
|----------------------------|------------------------|---------------------------|-------------------------|
| 1 Gutter | 10 Expansion element | 17 Pipe elbow | 25 Pipe branch |
| 2 Leaf guard | 11 Corner | 18 Downpipe | 26 Pipe reducer |
| 3 Snap-lock fixing rail | 12 Stop end | 20 Univ. downpipe bracket | 27 Water diverter |
| 5 Snap-lock gutter bracket | 13 Plug-in outlet | 21 Downpipe bracket | 28 Water butt connector |
| 7 Gutter heating | 14 Hopper / water head | 22 Bolt | 29 Offset |
| 8 Gutter bracket | 15 Spigot outlet | 23 Half bead | 30 Cover sleeve |
| 9 Eaves strip | 16 Pipe elbow | 24 Pipe socket | 31 Standpipe collar |


Halfround gutter, length 3 m, thickness in accordance with the requirements of class A according to EN 612 standard

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau filmed	
	art. no./thickness mm		art. no./thickness mm		art. no./thickness mm	
400 (192)	111 1017 /0,80		411 1017 /0,80		3611 1017 /0,80 *	
333 (153)	111 1061 /0,70		411 1061 /0,70		3611 1061 /0,70	
280 (127)	111 1074 /0,70		411 1074 /0,70		3611 1074 /0,70	
250 (105)	111 1108 /0,65		411 1089 /0,70		3611 1089 /0,70 *	



Box gutter, length 3 m, thickness in accordance with the requirements of class A according to EN 612 standard

size mm	thickness mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau filmed	
		art. no.		art. no.		art. no.	
400 (150)	0,80	-	-	411 3011		-	-
333 (120)	0,70	111 3058		411 3058		3611 3058	



Balcony gutter, length 3 m, thickness in accordance with the requirements of class A according to EN 612 standard

size mm	length mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
		art. no./thickness mm		art. no./thickness mm		art. no.	
200 (70)	3 000	111 3200 /0,70 *		411 3200 /0,70 *		-	-


Snap-lock fixing rail, aluminium (C-shape)

length mm	cross-section, mm	art. no.		
3 000	48×18	993 6003		




Round downpipe, welded (seam without overlap), thickness in accordance with the requirements of EN 612 standard

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. /length m /th. mm		art. /length m /th. mm		art. /length m /th. mm	
150	112 1071 /2 /0,70		-	-	-	-
120	112 1611 /2 /0,70		412 1611 /2 /0,70		3512 1611 /2 /0,70 *	
100	112 1662 /3 /0,65		412 1658 /3 /0,70		3512 1612 /2 /0,70	
80	112 1664 /3 /0,65		412 1660 /3 /0,70		3512 1614 /2 /0,70	
60	112 1624 /2 /0,65 *		412 1625 /2 /0,70 *		-	-



Box downpipe, length 2 m, welded (seam without overlap),
thickness in accordance with the requirements of EN 612 standard

size mm	thickness mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau filmed	
		art. no.		art. no.		art. no.	
120	0,80	-	-	412 4009		-	-
100	0,70	112 4051		412 4051		3512 4051	



Halfround expansion element, length 260 mm

size mm	thickness mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
		art. no.		art. no.		art. no.	
400 (192)	0,80	115 1016		415 1016		3515 1016 *	
333 (153)	0,80	115 1021		415 1021		3515 1021	
280 (127)	0,80	115 1035		415 1035		3515 1035	
250 (105)	0,80	115 1041		415 1041		3515 1041 *	



*) Available while supplies last

Dimensions are given in accordance with EN 612 (corresponding diameters in brackets)



Box expansion element, length 260 mm

size mm	thickness mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
		art. no.		art. no.		art. no.	
400 (150)	0,80	-	-	415 2012		-	-
333 (120)	0,80	115 2027		415 2027		3515 2027	



Plug-in outlet for halfround gutter

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
400 (192) / 120	113 2240		413 2240		3513 2240 *	
333 (153) / 100	113 2241		413 2241		3513 2241	
333 (153) / 120	113 2151		413 2151		-	-
280 (127) / 100	113 2094 *		-	-	-	-
280 (127) / 80	113 2041		413 2041		3513 2041	
250 (105) / 80	113 2061		413 2061		3513 2061 *	



Outlet for box gutter and round downpipe

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
400 (150) / 120	-	-	413 2301 plug-in		-	-
333 (120) / 100	113 2314 plug-in		413 2314 plug-in		3513 2314 plug-in	
200 (70) / 60	113 2348 plug-in *		413 2348 plug-in *		-	-
200 (70) / 60	113 2549 spigot *		-	-	-	-




Plug-in outlet for box gutter and box downpipe

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
400 (150) / 120	-	-	413 2283 Typ 2		-	-
333 (120) / 100	113 2281 Typ 1		413 2281 Typ 1		3513 2282 Typ 2	



Hopper head, standard type

diameter mm	size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
		art. no.		art. no.		art. no.	
120	240×240	113 2701		413 2701		3513 2701 *	
100	220×220	113 2716		413 2716		3513 2716	
80	220×220	113 2722		413 2722		3513 2722	



Water head Kubus

diameter mm	size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
		art. no.		art. no.		art. no.	
100	300×300	113 2789		413 2789		-	-
100	200×200	113 2788		413 2788		3513 2788	
80	200×200	-	-	413 2786		3513 2786	

Halfround corner, external, 90°


size mm	thickness mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
		art. no.		art. no.		art. no.	
400 (192)	0,80	111 4327		411 4327		3511 4327	
333 (153)	0,70	111 5319		411 5319		3511 5319	
280 (127)	0,70	111 5323		411 5323		3511 5323	
250 (105)	0,70	111 5338		411 5338		3511 5338	


Halfround corner, internal, 90°


size mm	thickness mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
		art. no.		art. no.		art. no.	
400 (192)	0,80	111 4346		411 4346		3511 4346	
333 (153)	0,70	111 5357		411 5357		3511 5357	
280 (127)	0,70	111 5361		411 5361		3511 5361	
250 (105)	0,70	111 5376		411 5376		3511 5376	


Box corner, external, 90°

size mm	thickness mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
		art. no.		art. no.		art. no.	
400 (150)	0,80	-	-	411 5401		-	-
333 (120)	0,70	111 5410		411 5410		3511 5410	
200 (70)	0,65	111 5421		411 5412		-	-


Box corner, internal, 90°

size mm	thickness mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
		art. no.		art. no.		art. no.	
400 (150)	0,80	-	-	411 5431		-	-
333 (120)	0,70	111 5440		411 5440		3511 5440	
200 (70)	0,65	111 5451		411 5442		-	-


Halfround stop end, left

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
400 (192)	113 1011		413 1011		3513 1011	
333 (153)	113 1026		413 1026		3513 1026	
280 (127)	113 1031		413 1031		3513 1031	
250 (105)	113 1045		413 1045		3513 1045	


Halfround stop end, right

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
400 (192)	113 1079		413 1079		3513 1079	
333 (153)	113 1083		413 1083		3513 1083	
280 (127)	113 1098		413 1098		3513 1098	
250 (105)	113 1102		413 1102		3513 1102	





Box stop end, left

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
400 (150)	-	-	413 1318		-	-
333 (120)	113 1322		413 1322		3513 1322	
200 (70)	113 1341		413 1341		-	-



Box stop end, right

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
400 (150)	-	-	413 1361		-	-
333 (120)	113 1375		413 1375		3513 1375	
200 (70)	113 1394		413 1394		-	-




Round pipe elbow 72°

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
150	113 3105		-	-	-	-
120	113 3271		413 3271		3513 4291	
100	113 3272		413 3272		3513 3272	
80	113 3274		413 3274		3513 3274	
60	113 3276		-	-	-	-



Round pipe elbow 60°

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
120	113 3014		413 3014		3513 4290	
100	113 3029		413 3262		3513 3262	
80	113 3266		413 3266		3513 3266	
60	113 3071		413 3265		-	-



Box pipe elbow

size mm / angle	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
100/72°	113 3295		413 3295		3513 3295	



Round offset, throat 60 mm

size mm	length mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
		art. no.		art. no.		art. no.	
120	268	113 3306		413 3306		-	-
100	240	113 3301		413 3301		3513 3301	
80	220	113 3303		413 3303		-	-

Round pipe branch 60°

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
120/100	113 4270		-	-	-	-
100/100	113 4271		413 4272		-	-


Round pipe water diverter, with leaf trap

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
120	113 4651		413 4651		3513 4652	
100	113 4666		413 4666		3513 4666	
80	113 4685		413 4685		3513 4653	


Round pipe cover sleeve, with standpipe collar

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
120	113 4901		413 4901		3513 4901*	
100	113 4902		413 4902		3513 4902	
80	113 4904		413 4904		3513 4904	


Round pipe socket

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
120	113 3451		413 3451		3513 3451	
100	113 3452		413 3452		3513 3452	
80	113 3454		413 3454		3513 3454	
60	113 3456		413 3456		-	-


Round pipe standpipe collar

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
120 / 150	113 4575		413 4575		-	-
120 / 180	113 4518		413 4518		-	-
100 / 116	113 4613		413 4613		3513 4613	
100 / 150	113 4537		413 4537		-	-
80 / 116	113 4632		413 4632		3513 4632	
80 / 150	113 4556		413 4556		-	-


Round downpipe bracket, made of RHEINZINK, with two threaded nuts; wall plug excluded

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
150	135 4233		-	-	-	-
120	135 4232		435 4232		3535 4232	
100	135 4231		435 4231		3535 4231	
80	135 4229		435 4229		3535 4229	
60	135 4227		435 4227		-	-


Box downpipe bracket, made of RHEINZINK, with three threaded nuts; wall plug excluded

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
120	-	-	433 6910		-	-
100	133 6908		433 6908		3533 6908	



*) To availability

Dimensions are given in accordance with EN 612 (corresponding diameters in brackets)



Halfround gutter bracket, RHEINZINK wrapped, S/S

size mm	width × th. mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
		art. no.		art. no.		art. no.	
400 (192)	25×6	135 1071		435 1071		3535 1143*	
333 (153)	25×6	135 1084		435 1084		3535 1141	
280 (127)	25×6	135 1099		435 1099		3535 1133	
250 (105)	25×6	135 1103		435 1103		3535 1132*	



Halfround gutter bracket, galvanized steel (N = nose i.e. hook, S = spring i.e. tongue)

size mm	width × thickness mm	N/S		S/S	
		art. no.		art. no.	
400 (192)	30×5	133 5032		133 5233	
333 (153)	30×5	133 5047		133 5248	
280 (127)	30×5	133 5051		133 5252	
250 (105)	25×4	133 5085		-	-



Fascia board, halfround gutter hanger, RHEINZINK wrapped, N/S

size mm	width × thickness mm	prePATINA blaugrau		prePATINA schiefergrau	
		art. no.		art. no.	
333 (153)	30×5	433 5100		3533 5100	
280 (127)	30×4	433 5101		3533 5101	



Fascia board, halfround gutter hanger, galvanized steel, N/N

size mm	width × thickness mm			with standing seam distance	
		art. no.		art. no.	
333 (153)	30×4	833 5100		833 5122	
280 (127)	30×4	833 5101		833 5121	
250 (105)	25×4	833 5102		833 5120	



Box gutter bracket, RHEINZINK wrapped, S/S

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
400 (150)	-	-	435 1200		-	-
333 (120)	135 1201		435 1201		3535 1216	



Fascia board, box gutter hanger, RHEINZINK wrapped, N/S

size mm	width × thickness mm	prePATINA blaugrau		prePATINA schiefergrau	
		art. no.		art. no.	
400 (150)	30×4	433 5126		-	-
333 (120)	30×4	433 5125		3533 5125	



Box gutter bracket/hanger, galvanized steel (N = nose i.e. hook, S = spring i.e. tongue)

size mm	width × th. mm	rafter based N/S		fascia board N/N		fascia board N/N with standing seam distance	
		art. no.		art. no.		art. no.	
400 (150)	30×4	833 6121		-	-	-	-
333 (120)	30×4	833 6120		833 5125		833 5130	

Snap lock halfround gutter bracket, aluminium


size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
333 (153)	-	-	993 5003		993 5012	
280 (127)	-	-	993 5005		993 5013	

Snap-lock fixing rail, aluminium (C-shape)

length mm	cross-section, mm	art. no.		
3000	48×18	993 6003		


Water butt connector, with GARDENA ½" valve and 1" hose

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
100	113 4696		413 4696		3513 4696	
80	113 4695		413 4695		3513 4695	


Half bead


size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
120	-	-	413 4317 *		-	-
100	-	-	413 4321 *		-	-
80	113 4337 *		413 4337 *		-	-


Round pipe reducer

size mm	CLASSIC walzblank	
	art. no.	
100 - 60	113 4280	


Leaf guard for halfround gutter

size mm	length mm	CLASSIC walzblank	
		art. no.	
333 (153)	2000	111 8002	
280 (127)	2000	111 8001	


Bolt for pipe brackets, galvanized steel

size mm	art. no.	
300	835 4219	
200	135 4218	
100	135 4217	

carton 50 pcs.


Universal downpipe bracket

bolt length mm	art. no.	
200	939 9051	

with the lightning protection attachment

carton 20 pcs.






Gutter heating incl. fixing material

length m	art. no.	
10	1993 5101	
15	1993 5102	
20	1993 5103	



Gutter adhesive RHEINZINK

cartridge ml	art. no.	
310	980 0280	
carton 12 pcs.		



UDS-connector, corrugated

size mm	CLASSIC walzblank	
	art. no.	
0,80 × 250 × 3 000	114 0091	
0,80 × 333 × 3 000	114 0090	



Halfround gutter, length 3 m, thickness in accordance with the requirements of class A according to EN 612 standard

size mm	GRANUM EXTRA granite		GRANUM EXTRA basalte	
	art. no.		art. no.	
333 (153)	9511 1061		9711 1061	



Round downpipe, length 2 m, welded (seam without overlap), thickness in accordance with the requirements of EN 612 standard

size mm	GRANUM EXTRA granite		GRANUM EXTRA basalte	
	art. no.		art. no.	
100	9512 1620		9712 1620	
80	9512 1622		9712 1622	



Halfround expansion element, length 260 mm

size mm	GRANUM EXTRA granite		GRANUM EXTRA basalte	
	art. no.		art. no.	
333 (153)	9415 1021		9615 1021	



Plug-in outlet for halfround gutter

size mm	GRANUM EXTRA granite		GRANUM EXTRA basalte	
	art. no.		art. no.	
333 (153) / 100	9413 2241		9613 2241	
333 (153) / 80	9413 2167		9613 2167	



Water head Kubus

diameter mm	size mm	GRANUM EXTRA granite		GRANUM EXTRA basalte	
		art. no.		art. no.	
100	300×300	9413 2789		9613 2789	
80	200×200	9413 2786		9613 2786	



Halfround corner, external, 90°

size mm	thickness mm	GRANUM EXTRA granite		GRANUM EXTRA basalte	
		art. no.		art. no.	
333 (153)	0,70	9411 5319		9611 5319	



Halfround corner, internal, 90°

size mm	thickness mm	GRANUM EXTRA granite		GRANUM EXTRA basalte	
		art. no.		art. no.	
333 (153)	0,70	9411 5357		9611 5357	





Halfround stop end, left

size mm	GRANUM EXTRA granite		GRANUM EXTRA basalte	
	art. no.		art. no.	
333 (153)	9413 1026		9613 1026	



Halfround stop end, right

size mm	GRANUM EXTRA granite		GRANUM EXTRA basalte	
	art. no.		art. no.	
333 (153)	9413 1083		9613 1083	



Round pipe elbow 72°

size mm	GRANUM EXTRA granite		GRANUM EXTRA basalte	
	art. no.		art. no.	
100	9413 3272		9613 3272	
80	9413 3274		9613 3274	



Round pipe elbow 60°

size mm	GRANUM EXTRA granite		GRANUM EXTRA basalte	
	art. no.		art. no.	
100	9413 3262		9613 3262	
80	9413 3266		9613 3266	



Round pipe socket

size mm	GRANUM EXTRA granite		GRANUM EXTRA basalte	
	art. no.		art. no.	
100	9413 3452		9613 3452	
80	9413 3454		9613 3454	





Round downpipe bracket, made of RHEINZINK, with two threaded nuts; wall plug excluded

size mm	GRANUM EXTRA granite		GRANUM EXTRA basalte	
	art. no.		art. no.	
100	9435 4236		9635 4236	
80	9435 4235		9635 4235	




Halfround gutter bracket, RHEINZINK wrapped, S/S

size mm	width × thickness mm	GRANUM EXTRA granite		GRANUM EXTRA basalte	
		art. no.		art. no.	
333 (153)	25×6	9433 5210		9633 5210	



ROOF SYSTEM ACCESSORIES



Coiled expansion element

	CLASSIC walzblank	
size	art. no.	
3000×375×0,70	115 3004	
box 12 m		




Seam sealing tape

length m	art. no.	
18	180 0278	
carton 11 pcs.		




Sliding clip CLIPFIX,
stainless steel, standard height

type	art. no.	
S	1413 5064	
box 150 pcs.		




Fixed clip CLIPFIX,
stainless steel, standard height

type	art. no.	
S	1413 5014	
box 300 pcs.		



Sliding clip CLIPFIX,
stainless steel, high (for structured underlays, 31 mm)

type	art. no.	
H	1413 5065	
box 150 pcs.		



Sliding clip CLIPFIX, stainless steel, high,
(for structured underlays, 31 mm)

type	art. no.	
H	1413 5015	
box 300 pcs		



Magazin screwdriver - RHEINZINK-CLIPFIX 3in1

*Note: the price is not subject to standard discounts **

art. no.	
939 9066	
The set includes the magazine, 2 batteries 18V 5.0 Ah, charger and magazine attachment with the special tool	



CLIPFIX screw, e-coating
(incl. a bit)

size mm	art. no.	
4×30	939 9058	
box 500 pcs.		



CLIPFIX screw, collated, stainless steel

size mm	art. no.	
4×30	1439 9056	
box 1000 pcs.		



CLIPFIX screw, collated, e-coating

size mm	art. no.	
4×30	939 9059	
box 1000 pcs.		



Spare parts CLIPFIX 3in1 *

item	art. no.	
special tool attachment	989 8013	
screwdriver bit	989 8009	



CLIPFIX 3in1 magazine attachment*,
incl. the special tool

art. no.	
939 9067	

New in the offer


*) Please ask the technical advisors and RHEINZINK distributors for details

AIR-Z - structured underlay

width mm	coil length m	thickness mm	package volume m ²	art. no.	
1000	75	8	75	980 0284	


VAPOZINC - structured underlay with vapour permeable insulation

width mm	coil length m	thickness mm	package volume m ²	art. no.	
1400	30	8	45	980 0285	
effective covering area 42 m ²					


Solder rod lead free SnZn-801

type	art. no.	
Sn 91% Zn 9%	980 0269	
10 pcs. ≈ 1,80 kg carton ≈ 18 kg		


Solder bar LC-40

type	art. no.	
Pb 60% Sn 40%	980 0251	
10 pcs. ≈ 2,65 kg carton ≈ 25 kg		


Solder liquid PowerSurface

vessel	art. no.	
0,10 kg	980 0138	
carton 10 pcs.		


Solder liquid (flux) ZD-pro

vessel	art. no.	
750 ml ≈ 1 kg	980 0212	
carton 15 pcs.		


SWEEPER - cleaning liquid

vessel	art. no.	EUR/kg
1000 ml ≈ 1 kg	180 0232	
carton 6 pcs.		


TOUCH COAT GRANUM EXTRA granite

vessel	art. no.	
50 ml	980 0056	
carton 10 pcs.		


SOLVENT for GRANUM EXTRA

vessel	art. no.	EUR/pc
0,24 kg	980 0209	
carton 10 pcs.		


TOUCH COAT GRANUM EXTRA basalte

vessel	art. no.	
50 ml	980 0055	
carton 10 pcs.		





Soft zinc, for flashings, pleated

thickness × width mm	length m	CLASSIC walzblank	
		art. no.	
0,60×333	15	514 5904	
0,60×250	20	514 4005	



Soft zinc, for flashings, flat

thickness × width mm	length m	CLASSIC walzblank	
		art. no.	
0,60×450	12	514 4000	
0,60×333	15	514 4001	



Ridge finish seam

size mm	CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau	
	art. no.		art. no.		art. no.	
65/65	113 5002		413 5002		3513 5002	

material thickness: 0,65 mm



ENKOLIT adhesive compound

bucket gross capacity kg	efficiency kg/m ²	art. no.	
11	2-3	980 0264	

pallet 45 pcs.



ENKOLIT adhesive compound, cartridge

cartridge capacity ml	efficiency kg/m ²	art. no.	
310	2-3	980 0265	

carton 12 pcs.



ENKE VORANSTRICH 933 - primer for ENKE products

bucket gross capacity kg	efficiency kg/m ²	art. no.	
2,5	100-200	980 0004	
20	100-200	980 0036	



ENKE MultiProtect - sheet metal protection product


bucket gross capacity kg	efficiency kg/m ²	for prePATINA blaugrau		for prePATINA schiefergrau	
		art. no.		art. no.	
4	200	980 0001		9800040	
12	200	980 0005*		-	-

*) To availability

Snowguard tube CEDA*, length 2 m - certified system

material	diameter/thickness mm	natural version		painted version	
		index		index	
aluminium	30/2	AL0010		AL0010-P	

bulk packing 10 pcs.


Snowguard clamp, single pipesystem CEDA*, for standing seam, screws A2 - certified system

material	diameter/thickness mm	natural version		painted version	
		index		index	
aluminium	30/2	AL0001A2		AL0001A2-P	

carton 10 pcs.


Snowguard clamp, double pipesystem CEDA*, for standing seam, screws A2 - certified system

material	diameter/thickness mm	natural version		painted version	
		index		index	
aluminium	30/2	AL0002A2		AL0002A2-P	

carton 10 pcs.


Tube stoppage CEDA*, screw A2 - certified system


material	diameter/thickness mm	natural version		painted version	
		index		index	
aluminium	30/2	AL0015A2		AL0015A2-P	

carton 50 pcs.


Snowguard tube connector* - certified system

material		index	
PVC		AL0016	

carton 40 pcs.


Tube plug CEDA* - certified system

material	index	
PVC	AL0017	

carton 100 pcs.





Roof walking grating clamp holder CEDA*, for standing seam, screws A2, in accordance with EN-516-1 standard

material	type	natural version		painted version	
		index		index	
aluminium	A 5-30° pitch	AL1001A2		AL1001A2-P	
aluminium	N 20-50° pitch	AL1002A2		AL1002A2-P	

carton 16 pcs.



Roof walking grating CEDA*, in accordance with EN-516-1 standard

size	material	natural version		painted version	
		index		index	
670	aluminium	AL2006		AL2006-P	
1000	aluminium	AL1210		AL1210-P	
1340	aluminium	AL2013		AL2013-P	
2000	aluminium	AL2020		AL2020-P	

bulk packing 2 pcs.



Powerslate mono RHEINZINK-PV*, length 1640 mm

Note: prices are not subject to standard discounts


spacing between seams mm	power / number of PV cells / weight	length mm	art. no.	
530	180 W / 40 / ≈11 kg	1900	980 0095	
430	100 W / 20 / ≈7,5 kg	1640	980 0096	

RHEINZINK-PV clamp*

material	carton	art. no.	
aluminium with EPDM	100 pcs.	2139 9933	

Snowguard tube REES, length 3 m

diameter/thickness mm	material	art. no.	
32/2	aluminium	139 9945	


Snowguard clamp REES, single pipesystem, for standing seam

type	material	art. no.	
double standing seam	aluminium	139 9951	
angle standing seam	aluminium	139 9964	
carton 10 pcs.			


Snowguard clamp REES, double pipesystem, for standing seam

carton	material	art. no.	
10 pcs.	aluminium	139 9979	


Heightening element for snowguard clamp

carton	material	art. no.	
20 pcs.	aluminium	139 9931	


Ice guard REES

carton	material	art. no.	
50 pcs.	aluminium	139 9983	


Snowguard tube connector REES, 32/2 mm

carton	material	art. no.	
50 pcs.	PVC	139 9944	






Roof walking grating clamp holder REES*, for standing seam, for gratings from 250 to 300 mm wide, in accordance with EN-516-1 stand.

type	material	index	
0-40° pitch	aluminium	2139 9995 LA-1650	
0-40° pitch	stainless steel	1439 9994 LA-1652	

Stainless steel nuts and screws are included

No grating fixing agraffes included (see further items)



Roof walking grating, lattice REES*, loop 30x30 mm, height 25 mm, thickness 2 mm, no fixing elements; in accordance with EN-516-1 stand.

size mm	material	index	
600x250	galvanized steel	LA-1210	
800x250	galvanized steel	LA-1211	
1600x250	galvanized steel	LA-1212	
800x250	stainless steel	LA-1263	
1600x250	stainless steel	LA-1267	




Agraffe REES*, for fixing gratings

	material	index	
	galvanized steel	LA-1235	
	stainless steel	LA-1279	



Roof sheet steel walking grating REES*, in accordance with EN-516-1 standard, fixing nuts and screws are included

size mm	material	index	
600x250	galvanized steel	LA-1216	
800x250	galvanized steel	LA-1220	
1500x250	galvanized steel	LA-1223	
3000x250	galvanized steel	LA-1227	



Connector REES* for roof sheet steel walking grating

	material	index	
	galvanized steel	LA-1231	
	stainless steel	LA-1274	




Solar holder* for standing seam










size mm	material	index	
60x40	aluminium	LA-1416	
100x40	aluminium	LA-1417	
60x40	stainless steel	LA-1436	
100x40	stainless steel	LA-1437	

*) Not standard articles, available on request.

Please ask the technical advisors and RHEINZINK distributors for further details



ARCHITECTURAL DETAILS AND FLASHINGS



CHIMNEY FLASHINGS

Prefabricated chimney flashing set for tiles, 15°-55°; 4-part set

length of chimney, mm	width	application	prePATINA blaugrau	
up to 550	up to 550	roof slope	art. no.	
			413 2962	



Soft zinc, for flashings, pleated

thickness × width × length mm	CLASSIC walzblank	
	art. no.	
0,60×333×15000	514 5904	
0,60×250×20000	514 4005	



Soft zinc, for flashings, flat

thickness × width × length mm	CLASSIC walzblank	
	art. no.	
0,60×450×12000	514 4000	
0,60×333×15000	514 4001	




PREFABRICATED STANDING SEAM PROFILES

Standing seam profile* with notches and folds or standard form (straight cut), nominal length from 0,40 m unfolded
 - examples of standard widths given

width		CLASSIC walzblank		prePATINA blaugrau		prePATINA schiefergrau with film	
coil mm	panel mm	art. no.		art. no.		art. no.	
670	600	114 3519		414 3519		3614 3519	
600	530	114 3504		414 3504		3614 3504	
500	430	114 3561		414 3561		3614 3561	


*) prices are subject to individual calculation, also for other non-standard widths - see further PROFILING SERVICES



PROFILING SERVICES


Standing seam profiling services

- width: according to standard delivery program of RHEINZINK coils and sheets
- panels length: 400-4500 mm




Notching of standing seam panels

- with or without folding:





Arc bending of standing seam panels






FAÇADE SYSTEMS

- 1 Diamond Tiles
- 2 Flat Lock Tiles
- 3 Square Tiles



Horizontal Panels HZ



Reveal Panels SF




SP-Line Panels

Square tile RHEINZINK, incl. 2 fixing clips


construction width mm	efficiency pcs/m ²	CLASSIC walzblank			prePATINA blaugrau			prePATINA schiefergrau		
		art. no.			art. no.			art. no.		
325×325	10	115 6037		#ARG!	415 6037		#ARG!	3515 6037		#ARG!
258×258	15	115 6041		#ARG!	415 6041		#ARG!	-	-	-
175×175	33	115 6056		#ARG!	415 6056		#ARG!	-	-	-

thickness: 0,70 mm


Diamond tile RHEINZINK, incl. 2 fixing clips


construction width mm	efficiency pcs/m ²	CLASSIC walzblank			prePATINA blaugrau			prePATINA schiefergrau		
		art. no.			art. no.			art. no.		
263×406	20	115 6003		#ARG!	415 6003		#ARG!	-	-	-
228×330	28	115 6018		#ARG!	415 6018		#ARG!	-	-	-
168×223	53	115 6022		#ARG!	415 6022		#ARG!	-	-	-

thickness: 0,70 mm


Flat lock tile


CLASSIC walzblank	prePATINA blaugrau	prePATINA schiefergrau
thickness 0,70 -0,80 mm	thickness 0,70 -0,80 mm	thickness 0,70 -0,80 mm

construction width: 330 × 600 mm, 430 × 1000 mm, 600 × 1200 mm


Roof soffit SP-Line panel, including fixing elements

thickness mm	width mm	length mm	covering area m ²	packing pcs.	weight kg/m ²	prePATINA blaugrau		
						art. no.		
0,70	350	3000	1,05	3	7,20	413 6401		


the whole system calculation - on request


Reveal panel SF, no stop-ends, adjustable shadow joint 0-30 mm, panel axial width = visible panel's part + 2 × ½ of a joint

prePATINA blaugrau	prePATINA schiefergrau
thickness: 0,80 -1,00 mm	thickness: 0,80 -1,00 mm

width: 200 - 333 mm


standard length: 3 or 4 m, others on request


Horizontal panel HZ, no stop-ends, fixed shadow joint 20 mm, panel axial width = visible panel's part + 2 × ½ of a joint

prePATINA blaugrau	prePATINA schiefergrau
thickness: 1,00 -1,20 mm	thickness: 1,00 -1,20 mm

width: 200 - 333 mm


standard length: 3 or 4 m, others on request


Standing seam profile with notches and folds or standard form (straight cut)

CLASSIC walzblank	prePATINA blaugrau	prePATINA schiefergrau
recommended thickness: 0,80 mm	recommended thickness: 0,80 mm	recommended thickness: 0,80 mm

standard profile width: 330, 430, 530, 600 mm

max. length of standard prefabricated profiles: 4 m (other length on request)





Fastening rail for horizontal panels HZ

length mm	material	art. no.	
2000	aluminium	939 9000	




Fixing clip for square and diamond tile

material	art. no.	
stainless steel	1415 6002	
carton 500 pcs.		



PERFORATED PROFILES AND MESH



Optical effects obtained by combining two types of patina, 5, 10 and 20 mm perforation and the combination of a perforated and a full sheet surface



Variation in the form of rectangular and square perforated coffers and square perforated coffers arranged in a pattern




A cut round structure - a combination of holes of different sizes



Structuring by any laser-cut forms - interesting effects obtained thanks to back lighting



The possibility of arranging the motifs regardless of the division of the facade



PERFORATED SHEETS (LATTICE)

Available in sheet or panel shapes. Limit dimensions and thicknesses:

CLASSIC walzblank	prePATINA blaugrau	prePATINA schiefergrau
thickness 0,70-1,50 mm	thickness 0,70-1,50 mm	thickness 0,70-1,20 mm
width up to 1 m		
length up to 4 m		

MESH

Available in sheet or panel shapes. Limit dimensions and thicknesses:

CLASSIC walzblank	prePATINA blaugrau	prePATINA schiefergrau
material thickness 0,80-1,50 mm	material thickness 0,80-1,50 mm	material thickness 0,80-1,20 mm
width up to 1 m		
length up to 4 m		

Designs and prices to be agreed with the sales department and advisers of RHEINZINK Polska.



walzblank

RHEINZINK-CLASSIC

Natural zinc surface zinc in its original form



ECO ZINC



blaugrau


schiefergrau

RHEINZINK-prePATINA ECO ZINC

The world's only natural surface with self-healing patina



COMING SOON



granite

basalte


RHEINZINK-GRANUM EXTRA

Modern design of matt surface titanium-zinc



RHEINZINK-PRISMO brushed white+

Innovative titanium zinc surface with elegant white finish



SHEETS AND COILS



RHEINZINK sheets, length 2000 mm; full pallet ≈ 1000 kg

thickness mm	width mm	CLASSIC walzblank			prePATINA blaugrau			prePATINA schiefergrau filmed		
		art. no.			art. no.			art. no.		
0,60	1000	150 5018			-	-	-	-	-	-
0,65	1000	150 6014			450 6014			-	-	-
0,70	1000	150 7011			450 7011			3650 7011		
0,80	1000	150 9013			450 9013			3650 9013		
1,00	1000	151 3012			451 3012			-	-	-

3000 mm long and more than 1,00 mm thick sheets are available on request
weight of 1 m² of 1 mm thick sheet ≈ 7,20 kg



RHEINZINK coils, á 100 kg; full pallet ≈ 800 kg or 600 kg

thickness mm	width mm	CLASSIC walzblank			prePATINA blaugrau			prePATINA schiefergrau filmed		
		art. no.			art. no.			art. no.		
0,70	1000	164 0018			464 0018			3664 0018		
0,70	400-670*	by size			by size			by size		
0,80	1000	165 0018			465 0018			3665 0018		
0,80	400-670*	by size			by size			by size		


*) coils standard sizes: 400, 500, 600, 670, 1000 mm; others on request



RHEINZINK coils, á 1000 kg

thickness mm	width mm	CLASSIC walzblank			prePATINA blaugrau			prePATINA schiefergrau z foliq		
		art. no.			art. no.			art. no.		
0,70	1000	164 0011			464 0011			3664 0067		
0,70	500-670*	by size			by size			by size		
0,80	1000	165 0011			465 0011			3665 0034		
0,80	500-670*	by size			by size			by size		
1,00	1000	167 0009			467 0009			3667 0046		
1,00	500-670*	by size			by size			by size		

*) coils standard sizes: 400, 500, 600, 670, 1000 mm; others on request



Diamond mesh AERO, sheet size 1000 × 2000 mm

thickness mm	perforation	CLASSIC walzblank			prePATINA blaugrau			prePATINA schiefergrau		
		art. no.			art. no.			art. no.		
1,00	63%	159 8500			-	-	-	-	-	-
1,00	46%	159 8000			459 8000			3559 8000		



Sheets and coils RHEINZINK GRANUM, PRISMO

For more information please refer to www.rheinzink.pl and RHEINZINK sales representatives



RHEINZINK-GRANUM

Reduced elegant or
puristic, professional
and precise






RHEINZINK-PRISMO

Nature-inspired shades
in semi-transparent
coating



PROFILING MACHINES AND SHEET METAL TOOLS

	art. no.	article name	producer	producer index	
	990 1293	Curved tin snips, left <i>Rundlochscherer links</i> 250 mm	STUBAI	267702	
	990 1294	Curved tin snips, right <i>Rundlochscherer rechts</i> 250 mm	STUBAI	267701	
	990 1301	Pelikan pattern snips <i>Durchlaufschere</i> PVC 350 mm	STUBAI	269011	
	990 1300	Pelikan pattern snips <i>Durchlaufschere</i> 350 mm	STUBAI	269001	
	990 1315	Combination tin snips, left <i>Kombi Blechschere links</i> 280 mm	STUBAI	270501	
	990 1316	Combination tin snips, right <i>Kombi Blechschere rechts</i> 280 mm	STUBAI	270001	
	990 1314	Combination tin snips, left <i>Kombi Blechschere links</i> PVC 280 mm	STUBAI	270511	
	990 1317	Combination tin snips, right <i>Kombi Blechschere rechts</i> PVC 280 mm	STUBAI	270011	
	990 1318	Combination tin snips with lever, right <i>Kombi Blechschere übersetzt rechts</i> 260 mm	STUBAI	270101	
	990 1313	Combination tin snips with lever, left <i>Kombi Blechschere übersetzt links</i> 260 mm	STUBAI	270601	
	990 1191	Gutter pliers <i>Wulsten-Beißzange</i> 250 mm	STUBAI	279101	
	990 1144	Seam opening pliers <i>Falzaufbiegezange eingelegt</i> PVC 250 mm	STUBAI	279501	
	990 1820	Flat nose pliers, box joint <i>Flachzange DG</i> PVC 240 mm	STUBAI	280001	
	990 1821	Flat nose pliers, lap joint <i>Flachzange eingelegt</i> PVC 240 mm	STUBAI	280501	
	990 1215	Round nose pliers, box joint <i>Rundzange DG</i> PVC 240 mm	STUBAI	281001	
	990 1181	Seaming pliers, straight, box joint <i>Falzzange gerade DG</i> PVC 18 mm	STUBAI	282001	
	190 1179	Seaming pliers, straight, box joint <i>Falzzange gerade DG</i> PVC 60 mm	STUBAI	282002	
	190 1180	Seaming pliers, straight, lap joint <i>Falzzange gerade eingelegt</i> PVC 60 mm	STUBAI	282051	
	990 1167	Seaming pliers, box joint <i>Falzzange DG 45°</i> PVC 18 mm	STUBAI	282101	
	990 1168	Seaming pliers, box joint <i>Falzzange DG 45°</i> PVC 60 mm	STUBAI	282102	
	990 1164	Seaming pliers, lap joint <i>Falzzange eingelegt 45°</i> PVC 60 mm	STUBAI	282151	
	190 1159	Seaming pliers, box joint <i>Falzzange DG 90°</i> PVC 60 mm	STUBAI	282201	
	990 1160	Seaming pliers, lap joint <i>Falzzange eingelegt 90°</i> PVC 60 mm	STUBAI	282251	
	990 1165	Seaming pliers, piccolo, lap joint <i>Falzzange leicht gerade eing.</i> PVC 24/180 mm	STUBAI	282901	
	990 1166	Seaming pliers, piccolo, lap joint <i>Falzzange leicht eingelegt 45°</i> 20/180 mm	STUBAI	283001	

art. no.	article name	producer	producer index	
190 1131	Corner seaming pliers <i>Eck-Falzzange eingelegt</i> PVC 60/280 mm	STUBAI	282451	
990 1125	Seaming pliers, box joint <i>Quetschfalzzange gerade</i> DG PVC 80 mm	STUBAI	282801	
990 1055	Eaves gutter pliers, lap joint <i>Dachrinnenzange beschichtet</i> PVC 15 mm	STUBAI	2827 01	
990 1190	Asymmetrical pincers, polished <i>Beißzange asymmetrisch poliert</i> PVC 250 mm	STUBAI	1080 51	
990 1690	Plastic seaming piece, with handle <i>Falzstück PE weiß mit Handgriff</i> 290x140 mm	STUBAI	278850	
990 1048	Seaming pliers <i>Quetsch-Falzseisen</i> 800 g	STUBAI	278401	
990 1384	Gutter hanger bending tool <i>Rinnenträger-Abbiegezange</i> 600 mm	STUBAI	282411	
190 1183	Corner seaming pliers, straight, box joint <i>Deckzange gerade</i> DG 120 mm	STUBAI	282312	
990 1187	Corner seaming pliers, straight, box joint <i>Deckzange gerade</i> DG 180 mm	STUBAI	282318	
190 1184	Seaming pliers, box joint <i>Deckzange gebogen</i> DG 30° 160 mm	STUBAI	282356	
990 1033	Roofing seamer, straight <i>Schaleisen geschmiedet</i> 120 mm	STUBAI	278001	
990 1071	Single lock seamer <i>Winkelfalزشلیه</i> 220 mm	STUBAI	282412	
990 1420	Double seamer <i>Winkeldoppelfalzer</i> 200 mm	STUBAI	282415	
990 1054	Drip edge bender <i>Traufenkanter</i> 250 mm	STUBAI	282413	
990 1068	Drip edge seamer <i>Traufenschلیه</i> 200 mm	STUBAI	282414	
990 1767	Marking template, hardened <i>Anreißschablone gehärtet</i> 1,3 mm, 140x100 mm	STUBAI	278601	
990 1584	Plastic faced hammer, wedge shape <i>Kunststoffhammer keilform</i> 155x85x35	STUBAI	278501	
990 1585	Plastic faced hammer, round <i>Kunststoffhammer rund</i> 60 mm	STUBAI	278506	
190 1876	Wooden hammer with metal ring jacket <i>Holzhammer mit Metallmantel</i> 60 mm	STUBAI	278516	
990 1378	Hammer with pellet <i>Kunststoffhammer mit Pellets</i> PCV 400 g	-	-	
990 1399 190 1398 990 1397	Hammer soldering iron <i>Loetgarnitur mit Hammerkolben</i> 350 g (incl. iron tip, hose and holder <i>inkl. Kupferstück, Schläuche und Aufstellfuß</i>)	PERKEO	-	
990 1056	Hand hole punch <i>Handlochstanze</i> HLS	M.A.S.C.	HLS	
990 1057	Oblong hole punch <i>Handlochstanze</i> LLZ	M.A.S.C.	LLZ	
990 1960	Notcher <i>Blechknabber</i> BK2	M.A.S.C.	BK2	
190 1145	Seam opening pliers <i>Falzaufbiegezange eingelegt</i> 80 mm FAZ	M.A.S.C.	FAZ	



MACHINES AND EQUIPMENT

RHEINZINK can offer to buy machinery and equipment:

- roller seam profilers (mobile, workshop, multi-purpose)
- arc profiling machines
- manual and mechanical sheet metal shears
- manual and mechanical press brakes, including segmented ones
- eaves edging devices ('EHA' type)
- manual devices for sheet metal profiling
- accessories for sheet metal work (trolleys for sheet metal coils, decoilers, roller shears etc.)

Individual prices to be agreed with the sales department and advisers of RHEINZINK Polska



Technical support:
 Marjan Borkovskij
 14207 Vilniaus raj.
 Lietuva
 M: +370 65018240
info@rheinzipk.lt

Sales

RHEINZINK Polska Sp. z o.o.
 Majdan, ul. Trasa Lubelska 57
 PL-05-462 Wiązowna
 T: +48 22 789 91 80
 F: +48 22 789 91 99
zlecenia@rheinzipk.pl

